

EAJAZ AHMAD DAR, GERRIT HOOGENBOOM, & ZAHOOR AHMAD SHAH.

Meta analysis on the evaluation and application of DSSAT in South Asia and China: Recent studies and the way forward.

Journal of Agrometeorology, 25(2).

<https://doi.org/10.54386/jam.v25i2.2081>

REFERENCES

- Abbas, G., Ahmad, S., Ahmad, A., Nasim, W., Fatima, Z., Hussain, S., Rehmand, M.H.U., Khan, M.A., Zaman, M.H.U., Fahad, S., Boote, K.J., Hoogenboom, G., (2017). Quantification the impacts of climate change and crop management on phenology of maize-based cropping system in Punjab, Pakistan. *Agric. For. Meteorol.*, 247: 42–55. <https://doi.org/10.1016/j.agrformet.2017.07.012>
- Ahmad, I., Ahmad, B., Bootec, K., Hoogenboom, G., (2020). Adaptation strategies for maize production under climate change for semiarid environment. *Eur. J. Agron.*, 115: 126040. <https://doi.org/10.1016/j.eja.2020.126040>
- Ahmad, S., Ahmad, A., Ali, H., Hussain, A., Garcia, A.G., Khan, M.A., Haq, M.Z.U., Hasanuzzaman, M., Hoogenboom, G., (2013). Application of the CSM-CERES-Rice model for evaluation of plant density and irrigation management of transplanted rice for an irrigated semiarid environment. *Irrig. Sci.*, 31: 491–506. <http://dx.doi.org/10.1007/s00271-012-0324-6>
- Amin, A., Nasim, W., Mubeen, M., Nadeem, M., Ali, L., Hammad, H.M., Sultana, S.R., Jabran, K., Rehman, M.H.U., Ahmad, S., Awais, M., Rasool, A., Fahad, S., Saud, S., Shah, A.N., Ihsan, Z., Ali, S., Bajwa, A.A., Hakeem, K.R., Ameen, A., Amanullah., Rehman, H.U., Alghabar, F., Jatoi, G.H., Akram, M., Khan, A., Islam, F., Karim, S.T.A.U., Rehmani, M.I.A., Hussain, S., Razaq, M., Fathi, A., (2017). Optimizing the phosphorus use in cotton by using CSM-CROPGRO-Cotton model for semi-arid climate of Vehari-Punjab, Pakistan. *Environ. Sci. Pollut. Res.*, 24: 5811-5823. <http://dx.doi.org/10.1007/s11356-016-8311-8>
- Anser, M.K., Hina, T., Hameed, S., Nasir, M.H., Ahmad, I., Naseer, M.A.R., (2020). Modeling adaptation strategies against climate change impacts in integrated rice-wheat agricultural production system of Pakistan. *Int. J. Environ. Res. Public Health.*, 17: 2522. <https://doi.org/10.3390/ijerph17072522>
- Arshad Awan, Z., Khaliq, T., Masood Akhtar, M., Imran, A., Irfan, M., Jarrar Ahmed, M., Ahmad, A. (2021). Building climate-resilient cotton production system for changing climate scenarios using the DSSAT Model. *Sustainability.*, 13: 10495. <https://doi.org/10.3390/su131910495>
- Arshad, M.N., Ahmad, A., Wajid, S.A., Cheema, M.J.M., Schwartz, M.W., (2017). Adapting DSSAT Model for simulation of cotton yield for nitrogen levels and planting Dates. *Agron. J.*, 109: 2639–2648. <https://doi.org/10.2134/agnonj2017.04.0233>
- Asmat Ullah., Ahmad, I., Ahmad, A., Khaliq, T., Saeed, U., Rahman, M.H.U., Hussain, J., Shafqat Ullah., Hoogenboom, G., (2019). Assessing climate change impacts on pearl millet under arid and semi-arid environments using CSM-CERES-Millet model. *Environ. Sci. Pollut. Res.*, 26: 6745–6757. <https://doi.org/10.1007/s11356-018-3925-7>
- Awais, M., Wajid, A., Nasim, W., Ahmad, A., Saleem, M.F., Raza, M.A.S., Bashir, M.U., Rahman, M.H.U., Saeed, U., Hussain, H., Arshad, N., Hoogenboom, G., (2017). Modeling the water and nitrogen productivity of sunflower using OILCROP-SUN model in Pakistan. *Field Crops Res.*, 205: 67–77. <http://dx.doi.org/10.1016/j.fcr.2017.01.013>
- Babel, M.S., Deb, P., Soni, P., (2019). Performance evaluation of aqua-crop and DSSAT-CERES for maize under different irrigation and manure application rates in the Himalayan Region of India. *Agric. Res.*, 8: 207–217. <https://doi.org/10.1007/s40003-018-0366-y>
- Bai, Y. and Gao, J., (2021). Optimization of the nitrogen fertilizer schedule of maize under drip irrigation in Jilin, China, based on DSSAT and GA. *Agric. Water Manag.*, 244: 106555. <https://doi.org/10.1016/j.agwat.2020.106555>
- Basso, B., Liu, L., Ritchie, J.T., (2016). A comprehensive review of the CERES-Wheat, -Maize and -Rice models' performances. In: Donald, L.S. (Ed.). *Adv. Agron.*, 27–132. <https://doi.org/10.1016/bs.agron.2015.11.004>
- Bhengra, A.H., Yadav, M.K., Patel, C., Singh, P.K., Singh, K.K., Singh, R.S., (2016). Calibration and validation study of sugarcane (DSSAT- CANEGRO V4.6.1) model over North Indian region. *J. Agrometeorol.*, 18(2): 234-239. <https://doi.org/10.54386/jam.v18i2.940>
- Bhuvaneshwari, K. Geethalakshmi, V. Lakshmanan, A. Anbzhagan R. And Nagothu D Sekhar. U. (2014). Climate change impact assessment and developing adaptation strategies for rice crop in western zone of Tamil Nadu. *J. Agrometeorol.*, 16(1): 38-43. <https://doi.org/10.54386/jam.v16i1.1484>

- Boote, K. J., R. Seepaul, M. J. Mulvaney, A. K. Hagan, M. Bashyal, S. George, I. Small, and D. L. Wright. (2021). Adapting the CROPGRO model to simulate growth and production of *Brassica carinata*, a bio-fuel crop. *GCB-Bioenergy*, 13:1134-1148. <https://doi.org/10.1111/gcbb.12838>.
- Brunetti, H., K.J. Boote, P.M. Santos, J.R.M. Pezzopane, C.G.S. Pedreira, M.A.S. Lara, L.S.B. Moreno, and G. Hoogenboom. (2021). Improving the CROPGRO Perennial Forage Model for simulating growth and biomass partitioning of guineagrass. *Agronomy J.*, 113(4):3299-3314.
- Chadalavada, K.; Gummadi, S.; Kundeti, K.R.; Kadiyala, D.M.; Deevi, K.C.; Dakhore, K.K.; Bollipo Diana, R.K.; Thirupathi, S.K., (2022). Simulating potential impacts of future climate change on post-rainy season sorghum yields in India. *Sustainability*. 14: 334. <https://doi.org/10.3390/su14010334>
- Chen, S., He, L., Cao, Y., Wang, R., Wu, L., Wang, Z., Zou, Y., Siddique, K. H.M., Xiong, W., Liu, M., Feng, H., Yu, Q., Wang, X., He, J., (2021). Comparisons among four different up-scaling strategies for cultivar genetic parameters in rainfed spring wheat phenology simulations with the DSSAT-CERES-Wheat model. *Agric. Water. Manag.*, 258: 107181. <https://doi.org/10.1016/j.agwat.2021.107181>.
- Chen, S., Jiang, T., Mab, H., Heb, C., Xub, F., Maloned, R.W., Fenga, H., Yua, Q., Siddiquee, Q.H.M., Dong, Q., He, J., (2020). Dynamic within-season irrigation scheduling for maize production in Northwest China: A Method Based on Weather Data Fusion and yield prediction by DSSAT. *Agric. For. Meteorol.*, 285-286, 107928. <https://doi.org/10.1016/j.agrformet.2020.107928>
- Choudhary, A.K., Molla, M.S.H., Zahan, T., Sen, R., Biswas, J.C., Akhter, S., Ishtiaque, S., Ahmed, F., Maniruzaman, M., Hossain, M.B., (2021). Optimum sowing window and yield forecasting for maize in northern and western Bangladesh using CERES Maize Model. *Agronomy*, 11: 635. <https://doi.org/10.3390/agronomy11040635>.
- Dar, E.A., Brar, A.S, Mishrab, S.K., Singh, K.B., (2017). Simulating response of wheat to timing and depth of irrigation water in drip irrigation system using CERES-Wheat model. *Field Crops Res.* 214, 149–163. [Http://dx.doi.org/10.1016/j.fcr.2017.09.010](http://dx.doi.org/10.1016/j.fcr.2017.09.010)
- Dar, M.D., Aggarwal, R., Kaur, S., (2017). Effect of climate change scenarios on yield and water balance components in rice-wheat cropping system in Central Punjab, India. *J. Agrometeorol.*, 19(3): 226-229. <https://doi.org/10.54386/jam.v19i3.631>
- Dass, A., Nain, A.S., Sudhishri, S., Chandra, S., (2012). Simulation of maturity duration and productivity of two rice varieties under system of rice intensification using DSSAT v 4.5/CERES-Rice model. *J. Agrometeorol.*, 14(1): 26-30. <https://doi.org/10.54386/jam.v14i1.1374>
- de Wit C.T., (1978). Simulation of assimilation, respiration and transpiration of crops. John Wiley & Sons, New York.
- de Wit, C.T. (1965). Photosynthesis of Leaf Canopies. 663, 57 pp. Centre for agricultural publications and documentation, Wageningen, The Netherlands.
- Debnath, S., Mishra, A., Mailapalli, D.R., Raghuvanshi, N.S., (2018). Quantifying yield gap for rice cropping systems in Lower Gangetic Plains. *Paddy Water Environ.*, 16: 601–615 <https://doi.org/10.1007/s10333-018-0653-z>
- Devkota, K.P., McDonald, A.J., Khadka, A., Khadka, L., Paudel, G., Devkota, M., (2015). Decomposing maize yield gaps differentiates entry points for intensification in the rainfed mid-hills of Nepal. *Field Crops Res.*, 179: 81–94. <http://dx.doi.org/10.1016/j.fcr.2015.04.013>.
- Dharmarathna, W. R. S. S., Herath, S., Weerakoon, S.B., (2014). Changing the planting date as a climate change adaptation strategy for rice production in Kurunegala district, Sri Lanka. *Sustain Sci.*, 9: 103–111. <https://doi.org/10.1007/s11625-012-0192-2>
- Duncan W.G., (1971). Leaf angles, leaf area, and canopy photosynthesis. *Crop Sci.*, 11: 482–485.
- Duncan W.G., Loomis R.S., Williams W.A., Hanau R., (1967). A model for simulating photosynthesis in plant communities. *Hilgardia*, 38: 181–205.
- Fang, Q., Ma, L., Harmel, R.D., Yu, Q., Sima, M.W., Bartling, P.N.S., Malone, R.W., Nolan, B.T., Doherty, J., 2019. Uncertainty of CERES-Maize calibration under different irrigation strategies Using PEST Optimization Algorithm. *Agronomy*, 9: 241. <http://dx.doi.org/10.3390/agronomy9050241>
- Fu, C., Wang, J., Gong, S., Zhang, Y., Wang, C., Mo, Y., (2020). Optimization of irrigation and fertilization of drip-irrigated corn in the Chernozem area of north-east China based on the CERES-Maize model. *Irrig. Drain.*, 69: 714-731. <https://doi.org/10.1002/ird.2455>.
- Geng, S., Yan, D., Yang, Z., Zhang, Z., Yang, M., Kan, G., (2018). Characteristics analysis of summer maize yield loss caused by drought stress in the northern huaihe plain, China. *Irrig. Drain.*, 67: 251–268. <https://doi.org/10.1002/ird.2192>
- Gheysari, M., S.M. Mirlatifi, M. Bannayan, M. Homae, and G. Hoogenboom. (2009a). Interaction of water and nitrogen on maize grown for silage. *Agric. Water Manag.*, 96(5):809-821.
- Gheysari, M., S.M.Mirlatifi, M. Homae, M.E. Asadi, and G. Hoogenboom. (2009b). Nitrate leaching in a silage maize field under different irrigation and nitrogen fertilizer rates. *Agric. Water Manag.*, 96(6):946-954.

- Gill, K.K., Sandhu, S. S., Divya., Mishra, S.K., (2018). Pre-harvest wheat yield prediction using CERES-wheat model for Ludhiana district, Punjab, India. *J. Agrometeorol.*, 20(4): 319-321. <https://doi.org/10.54386/jam.v20i4.574>
- Goswami, B., Hussain, R., Kumar, P.V., Saikia, U.S., Banarjee, S., (2018). Impact assessment of climate change on potato productivity in Assam using SUBSTOR-Potato model. *J. Agrometeorol.*, 20(2): 105-109. <https://doi.org/10.54386/jam.v20i2.519>
- Goswami, B., Hussain, R., Rao, V.U.M., Saikia, U.S., (2016). Impact of climate change on rice yield at Jorhat, Assam. *J. Agrometeorol.*, 18(2): 252-257. <https://doi.org/10.54386/jam.v18i2.944>
- Guled, P.M., Shekh, A.M., Patel, H.R., Pandey, V., Patel, G.G., (2012). Validation of CROPGRO-peanut model in middle Gujarat agroclimatic region. *J. Agrometeorol.*, 14(2): 154-157. <https://doi.org/10.54386/jam.v14i2.1415>
- Guo, E., Zhang, J., Wang, Y., Si, H., Zhang, F., (2016). Dynamic risk assessment of water logging disaster for maize based on CERES-Maize model in Midwest of Jilin Province, China. *Nat Hazards.*, 83: 1747-1761. <http://dx.doi.org/10.1007/s11069-016-2391-0>
- Guo, Y., Wu, W., Bryant, C.R., (2019). Quantifying spatio-temporal patterns of rice yield gaps in double-cropping systems: A case study in pearl river delta, China. *Sustainability.*, 11: 1394. <https://doi.org/10.3390/su11051394>
- Habib ur Rahman, M., Ahmad, A., Wang, X., Wajid, A., Nasim, W., Hussain, M., Ahmad, B., Ahmad, I., Ali, Z., Ishaque, W., Awais, M., Shelia, V., Ahmad, S., Fahd, S., Alam, M., Ullah, H., Hoogenboom, G., (2018). Multi-model projections of future climate and climate change impacts uncertainty assessment for cotton production in Pakistan. *Agric. For. Meteorol.*, 253-254: 94-113. <https://doi.org/10.1016/j.agrformet.2018.02.008>
- Halder, D., Panda, R.K., Srivastava, R.K., Kheroar, S., (2017). Evaluation of the CROPGRO-Peanut model in simulating appropriate sowing date and phosphorus fertilizer application rate for peanut in a subtropical region of eastern India. *The Crop J.* 5, 317 – 325. <http://dx.doi.org/10.1016/j.cj.2017.02.005>
- Hammad, H.M., Abbas, F., Ahmad, A., Farhad, W., Anothai, J., Hoogenboom, G., (2018). Predicting water and nitrogen requirements for maize under semi-arid conditions using the CSM-CERES-Maize model. *Eur. J. Agron.*, 100: 56-66. <http://dx.doi.org/10.1016/j.eja.2017.10.008>
- Hao, M., Fu, J., Jiang, D., Yan, X., Chen, S., Ding, F., (2018). Sustainable development of sweet sorghum-based fuel ethanol from the perspective of water resources in China. *Sustainability.*, 10: 3428. <http://dx.doi.org/10.3390/su10103428>
- He, J., Cai, H., Bai, J., (2013). Irrigation scheduling based on CERES-Wheat model for spring wheat production in the Minqin Oasis in Northwest China. *Agric. Water Manag.*, 128: 19-31. <http://dx.doi.org/10.1016/j.agwat.2013.06.010>
- Hoogenboom, G. (2000). Contribution of agrometeorology to the simulation of crop production and its applications. *Agric. For. Meteorol.*, 103(1-2):137-157.
- Hoogenboom, G. E. Justes, C. Pradal, M. Launay, S. Asseng, F. Ewert, and P. Martre. (2020). iCROP 2020: Crop modeling for the future. *J. Agric. Sci.*, (Cambridge) 158(10):791-793.
- Hoogenboom, G., C.H. Porter, K.J. Boote, V. Shelia, P.W. Wilkens, U. Singh, J.W. White, S. Asseng, J.I. Lizaso, L.P. Moreno, W. Pavan, R. Ogoshi, L.A. Hunt, G.Y. Tsuji, and J.W. Jones. (2019a). The DSSAT crop modeling ecosystem. In: p.173-216 [K.J. Boote, editor] *Advances in Crop Modeling for a Sustainable Agriculture*. Burleigh Dodds Science Publishing, Cambridge, United Kingdom (<http://dx.doi.org/10.19103/AS.2019.0061.10>)
- Hoogenboom, G., C.H. Porter, V. Shelia, K.J. Boote, U. Singh, J.W. White, W. Pavan, F.A.A. Oliveira, L.P. Moreno-Cadena, J.I. Lizaso, S. Asseng, D.N.L. Pequeno, B.A. Kimball, P.D. Alderman, K.R. Thorp, M.R. Jones, S.V. Cuadra, M.S. Vianna, F.J. Villalobos, T.B. Ferreira, W.D. Batchelor, J. Koo, L.A. Hunt, and J.W. Jones. (2021). *Decision Support System for Agrotechnology Transfer (DSSAT) Version 4.8*. DSSAT Foundation, Gainesville, Florida, USA.
- Hoogenboom, G., Porter, C.H., Shelia, V., Boote, K.J., Singh, U., White, J. W., Hunt, L.A., Ogoshi, R., Lizaso, J.I., Koo, J., Asseng, S., Singels, A., Moreno, L.P. and Jones, J.W. (2019b). *Decision Support System for Agrotechnology Transfer (DSSAT) Version 4.7*. DSSAT Foundation, Gainesville, Florida, USA.
- Hopf, A., K.J. Boote, A. Plotto, S. Asseng, X. Zhao, V. Shelia, and G. Hoogenboom. (2022b). Dynamic prediction of preharvest strawberry quality traits as a function of environmental factors. *HortScience.*, 57(10): 1336-1355. <https://doi.org/10.21273/HORTSCI16655-22>.
- Hopf, A., K.J. Boote, J. Oh, Z. Guan, S. Agehara, V. Shelia, V.M. Whitaker, S. Asseng, X. Zhao, and G. Hoogenboom. (2022a). Development and improvement of the CROPGRO-Strawberry model. *Sci. Hortic.*, 291: 110538. <https://doi.org/10.1016/j.scienta.2021.110538>.
- Huang, M., Wang, J., Wang, B., Liu, D.L., Feng, P., Yu, Q., Pan, X., Waters, C., (2021). Assessing maize potential to mitigate the adverse effects of future rising temperature and heat stress in China. *Agric. For. Meteorol.*, 311: 108673. <https://doi.org/10.1016/j.agrformet.2021.108673>.

- Transfer (IBSNAT). (1993). The IBSNAT Decade. Department of Agronomy and Soil Science, College of Tropical Agriculture and Human Resources, University of Hawaii, Honolulu, HI, p. 178.
- International Crops Research Institute for the Semi-Arid Tropics (ICRISAT). (1984). Proceedings of the international symposium on minimum data sets for agrotechnology transfer. ICRISAT Center, Patancheru, India.
- Ishaque, W., Shelia, V., Anothai, J., Zaman, M., Hoogenboom, G., (2020). Determining optimum nitrogen management as a function of planting date for spring wheat (*Triticum aestivum* L.) under semi-arid conditions using a modeling approach. *J. Arid Environ.*, 182: 104256. <https://doi.org/10.1016/j.jaridenv.2020.104256>
- Jha, P.K., P. Athanasiadis, S. Gualdi, A. Trabucco, V. Mereu, V. Shelia, and G. Hoogenboom. (2022). Using ENSO conditions to optimize rice yield for Nepal's Terai. *Climate Research.*, 88: 87-100.
- Jha, R.K., Kalita, P.K. and Jat, R.K., (2020). Development of production management strategies for a long-duration rice variety: Rajendra Mahsuri—using crop growth model, DSSAT. *Paddy Water Environ.*, 18: 531–545. <https://doi.org/10.1007/s10333-020-00799-3>
- Ji, J., Cai, H., He, J. and Wang, H., (2014). Performance evaluation of CERES-Wheat model in Guanzhong Plain of Northwest China. *Agric. Water Manag.*, 144: 1–10. <https://doi.org/10.1016/j.agwat.2014.04.016>
- Jiang, Y., Zhang, L., Zhang, B., He, C., Jin, X., Bai, X., (2016). Modeling irrigation management for water conservation by DSSAT-maize model in arid northwestern China. *Agric. Water Manag.*, 177: 37–45. <http://dx.doi.org/10.1016/j.agwat.2016.06.014>
- Jones, J. W. G. Hoogenboom, C. H. Porter, K. J. Boote, W. D. Batchelor, L. A. Hunt, P. W. Wilkens, U. Singh, A. J. Gijssman, and J. T. Ritchie. (2003). The DSSAT cropping system model. *Eur J Agron.*, 18(3-4): 235-265.
- Jones, J.W., J.M. Antle, B.O. Basso, K.J. Boote, R.T. Conant, I. Foster, H.C.J. Godfray, M. Herrero, R.E. Howitt, S. Janssen, B.A. Keating, R. Munoz-Carpena, C.H. Porter, C. Rosenzweig, and T.R. Wheeler. (2016). Brief history of agricultural systems modeling. *Agric. Syst.*, 155: 240-254, <https://doi:10.1016/j.agry.2016.05.014>.
- Jones, J.W., Tsuji, G.Y., Hoogenboom, G., Hunt, L.A., Thornton, P.K., Wilkens, P.W., Imamura, D.T., Bowen, W.T. and Singh, U. (1998). Decision Support System for agrotechnology transfer: DSSAT v3. In: Tsuji, G. Y., Hoogenboom, G. and Thornton, P. K. (Eds), *Understanding Options for Agricultural Production. Systems Approaches for Sustainable Agricultural Development (7)*. Springer, Dordrecht, The Netherlands.
- Kadiyala, M.D.M., Nedumaran, S., Singh, P., Chukka S., Irshad, M.A., Bantilan. M.C.S., (2015). An integrated crop model and GIS decision support system for assisting agronomic decision making under climate change. *Sci. Total Environ.*, 521–522, 123–134. <http://dx.doi.org/10.1016/j.scitotenv.2015.03.097>
- Kant, K., Bora, P.K., Saikia, U.S., (2018). Calibration of DSSAT-CERES-Rice model for rice cultivars under different N-levels in Meghalaya India. *J. Meteorol.*, 20(4): 322-324.
- Kaur, R., and Arora, V.K., (2018). Assessing spring maize responses to irrigation and nitrogen regimes in north-west India using CERES-Maize model. *Agric. Water Manag.*, 209: 171–177. <https://doi.org/10.1016/j.agwat.2018.07.022>
- Khan, G.R., H.M. Alkharabsheh, M. Akmal, A.A. AL-Huqail, N. Ali, B.A. Alhammad, M.M. Anjum, R. Goher, F. Wahid, M. F. Seleiman, and G. Hoogenboom. (2022). Split nitrogen application rates for wheat (*Triticum aestivum* L.) yield and grain N using the CSM-CERES-Wheat Model. *Agronomy.*, 12: 1766. <https://doi.org/10.3390/agronomy12081766>.
- Kour, M., Singh, K.N., Singh, M., Thakur, N.P., Kachroo, D., Sharma, R., (2013). Assessment of climate change and its impact on growth and yield of wheat under temperate and sub-tropical conditions. *J. Agrometeorol.*, 15(2): 142-146. <https://doi.org/10.54386/jam.v15i2.1462>
- Kumar, A., Singh, K.K., Balasubramanian, R., Baxla, A.K., Tripathi, P., Mishra, B.N., (2010). Validation of CERES-Maize model for growth, yield attributes and yield of kharif maize for NEPZ of eastern U. P. *J. Agrometeorol.*, 12(1): 118-120. <https://doi.org/10.54386/jam.v12i1.1287>
- Kumar, N., Nain, A. S., Kumar, S., (2012). Sequential simulation of wheat and urd using DSSAT model in mollisol of Uttarakhand. *J. Agrometeorol.*, 14(2): 158-162. <https://doi.org/10.54386/jam.v14i2.1416>
- Kumari, P., Wadood, A., (2016). Impact assessment of intra seasonal temperature variations on wheat yield using CERES Wheat model. *J. Agrometeorol.*, 18(2): 245-248. <https://doi.org/10.54386/jam.v18i2.942>
- Lang, T., Yang, Y., Jia, K., Zhang, C., You, Z., Liang, Y., (2020). Estimation of Winter Wheat Production Potential Based on Remotely-Sensed Imagery and Process-Based Model Simulations. *Remote Sens.*, 12: 2857. <https://doi.org/10.3390/rs12172857>
- Li, H., Chen, Z., Liu, G., Jiang, Z., Huang, C., (2017). Improving Winter Wheat Yield Estimation from the CERES-Wheat Model to Assimilate Leaf Area Index with Different Assimilation Methods and Spatio-Temporal Scales. *Remote Sens.*, 9: 190. <http://dx.doi.org/10.3390/rs9030190>
- Li, M., Du, Y., Zhang, F., Bai, Y., Fan, J., Zhang, J., Chen, S., (2019). Simulation of cotton growth and soil water content under

- film-mulched drip irrigation using modified CSM-CROPGRO-cotton model. *Agric. Water Manag.*, 218: 124-138. <https://doi.org/10.1016/j.agwat.2019.03.041>.
- Li, Y., Huang, H., Ju, H., Lin, E., Xiong, W., Han, X., Wang, H., Peng, Z., Wang, Y., Xu, J., Cao, Y., Hu, W., (2015b). Assessing vulnerability and adaptive capacity to potential drought for winter-wheat under the RCP 8.5 scenario in the Huang-Huai-Hai Plain. *Agric. Ecosys. Environ.*, 209: 125–131. <http://dx.doi.org/10.1016/j.agee.2015.03.033>
- Li, Z., Jin, X., Zhao, C., Wang, J., Xua, X., Yanga, G., Li, C., Shen, J., (2015a). Estimating wheat yield and quality by coupling the DSSAT-CERES model and proximal remote sensing. *Eur. J. Agronomy.*, 71: 53-62. <https://doi.org/10.1016/j.eja.2015.08.006>.
- Li, Z., Wang, J., Xu, X., Zhao, C., Jin, X., Yang, G., Feng, H., (2015c). Assimilation of Two Variables Derived from Hyperspectral Data into the DSSAT-CERES Model for Grain Yield and Quality Estimation. *Remote Sens.*, 7: 12400-12418. <http://dx.doi.org/10.3390/rs70912400>
- Lin, Y., Feng, Z., Wu, W., Yang, Y., Zhou, Y., Xu, C., (2017). Potential impacts of climate change and adaptation on maize in northeast China. *Agron. J.*, 109: 1476–1490. <http://dx.doi.org/10.2134/agronj2016.05.0275>
- Liu, B., Asseng, S., Liu, L., Tang, L., Cao, W., Zhu, Y. (2016). Testing the responses of four wheat crop models to heat stress at anthesis and grain filling. *Global Change Bio.*, 22: 1890–1903. <http://dx.doi.org/10.1111/gcb.13212>
- Liu, S., Yang, J.Y., Zhang, X.Y., Drury, C.F., Reynolds, W.D., Hoogenboom, G., (2013). Modelling crop yield, soil water content and soil temperature for a soybean–maize rotation under conventional and conservation tillage systems in Northeast China. *Agric. Water Manag.*, 123: 32-44. <http://dx.doi.org/10.1016/j.agwat.2013.03.001>
- Lone, B.A., Fayaz, A., Qayoom, S., Kanth, R.H., Dar, Z.A., Singh, P., Kumar, S., Andrabi, N., Mushtaq, N., (2020). Simulating maize yield at enhanced level of temperature using CERES maize model. *J. Agrometeorol.*, 22(3): 381-384. <https://doi.org/10.54386/jam.v22i3.303>
- Loomis, R.S., Rabbinge, R., Ng, E., (1979). Explanatory models in crop physiology. In *Annual Review of Plant Physiology* (ed. W.R. Briggs), pp. 339–368. 30.Vi+671p. Illus. Annual Reviews Inc., Palo Alto, CA.
- Lv, Z., Zhu, Y., Liu, X., Ye, H., Tian, Y., Li, F., (2018). Climate change impacts on regional rice production in China. *Climatic Change.*, 147: 523–537. <https://doi.org/10.1007/s10584-018-2151-0>
- Mall, R. K., Singh, N., Singh, H., (2016). Evaluation of CERES-Wheat model for different wheat cultivars at Varanasi. *J. Agrometeorol.*, 18(1): 149-152. <https://doi.org/10.54386/jam.v18i1.922>
- Mall, R.K., Singh, N., Singh, K.K., Sonkar, G., Gupta, A., (2018). Evaluating the performance of RegCM4.0 climate model for climate change impact assessment on wheat and rice crop in diverse agro-climatic zones of Uttar Pradesh, India. *Climatic Change.*, 149: 503–515. <https://doi.org/10.1007/s10584-018-2255-6>
- Medhi, K., Neog, P., Goswami, B., Deka, R.L., Kurmi, K., Sarmah, K., Khanikar, P.G., (2017). Evaluation of CERES-Rice model for Upper Brahmaputra Valley Zone of Assam. *J. Agrometeorol.*, 19(3): 270-273. <https://doi.org/10.54386/jam.v19i3.670>
- Mishra, A., Mehra, B., Rawat, S., Gautam, S., Mishra, E.P., Singh, G., (2020). Utility of Gridded Data for Yield Prediction of Wheat Using DSSAT Model. *J. Agrometeorol.*, 22(3): 377-380 DOI: <https://doi.org/10.54386/jam.v22i3.302>
- Mishra, S.K., Kaur, V., Singh, K., (2021). Evaluation of DSSAT-CROPGRO-cotton model to simulate phenology, growth and seed cotton yield in north-western India. *Agronomy.*, 113: 3975-3990. <https://doi.org/10.1002/agj2.20788>.
- Mompremier, R., Y. Her, G. Hoogenboom, K. Migliaccio, R. Muñoz-Carpena, Z. Brym, R.W. Colbert, and W. Jeune. (2021). Modeling the response of dry bean yield to irrigation water availability controlled by watershed hydrology. *Agric. Water Manag.*, 243: 106429. <https://doi.org/10.1016/j.agwat.2020.106429>.
- Monteith, J.L. (1965). Light distribution and photosynthesis in field crops. *Ann. Bot.*, 29: 17–37.
- Mote, B.M., Kumar, N., 2016. Calibration and validation of CERES-rice model for different rice cultivars at Navsari. *J. Agrometeorol.*, 18(1): 155-156. <https://doi.org/10.54386/jam.v18i1.924>
- Nasim, W., Ahmad, A., Belhouchettec, H., Fahad, S., Hoogenboom, G., (2016). Evaluation of the OILCROP-SUN model for sunflower hybrids under different agro-meteorological conditions of Punjab-Pakistan. *Field Crops Res.*, 188: 17–30. <http://dx.doi.org/10.1016/j.fcr.2016.01.011>
- Nasir, I.R., Rasul, F., Ahmad, A., Asghar, H.N., Hoogenboom, G., (2020). Climate change impacts and adaptations for fine, coarse, and hybrid rice using CERES-Rice. *Environ. Sci. Pollut. Res.*, 27: 9454–9464. <https://doi.org/10.1007/s11356-019-07080-z>
- Naz, S., Ahmad, S., Abbas, G., Fatima, Z., Hussain, S., Ahmed, M., Khan, M.A., Khan, A., Fahad, S., Nasim, W., Ercisli, S., Wilkerson, C.J., Hoogenboom, G., (2022). Modeling the impact of climate warming on potato phenology. *Eur. J. Agron.*, 132: 126404. <https://doi.org/10.1016/j.eja.2021.126404>.
- Nouri, M., M. Homaei, M. Bannayan, and G. Hoogenboom. (2017). Towards shifting planting date as an adaptation practice for rainfed wheat response to climate change. *Agric.*

- Water Manag.*, 186(1): 108-119.
- Parmar, P.K., Patel, H.R., Yadav, S.B., Pandey, V., (2013). Calibration and validation of DSSAT model for kharif groundnut in north-Saurashtra agro-climatic zone of Gujarat. *J. Agrometeorol.*, 15(1): 62-65. <https://doi.org/10.54386/jam.v15i1.1440>
- Patel, C., Nema, A.K., Singh, R.S., Yadav, M.K., Singh, S.K, Singh, S.M., (2017). Evaluation of DSSAT-CERES model for irrigation scheduling of wheat crop in Varanasi region of Uttar Pradesh. *J. Agrometeorol.*, 19(2): 120-124. <https://doi.org/10.54386/jam.v19i2.683>
- Patel, H.R., Patel, G.G., Shroff, J.C., Pandey, V., Shekh, A.M., Vadodaria, R.P., Bhatt, B.K., (2010). Calibration and validation of CERES-wheat model for wheat in middle Gujarat region. *J. Agrometeorol.*, 12(1): 114-117. <https://doi.org/10.54386/jam.v12i1.1286>
- Phoncharoen, P., P. Banterng, L.P. Moreno-Cadena, N. Vorasoot, S. Jogloy, P. Theerakulpisut, and G. Hoogenboom. (2021). Performance of the CSM-MANIHOT–Cassava Model for simulating planting date response of cassava genotypes. *Field Crops Res.*, 264: 108073. <https://doi.org/10.1016/j.fcr.2021.108073>.
- Pramod, V.P., Bapuji, B., Rao, S.S., Ramakrishna, V.S., Singh, M.M., Patel, N.R., Sandeep, V.M., Rao, V.U.M., Chowdary, P. S., Rao, N.V., Kumar, P.V., (2017). Impact of projected climate on wheat yield in India and its adaptation strategies. *J. Agrometeorol.*, 19(3): 207-216. <https://doi.org/10.54386/jam.v19i3.627>
- Rahmani, M., M. Zavareh, A. Hamidi, and G. Hoogenboom. (2018). Effect of planting date and density of yield and commercial qualities of hybrid seed production of maize (*Zea mays* L. cv. SC 704). *Iran J Field Crop Sci.*, 49(2): 93-103.
- Ran, H., Kang, S., Hu, X., Lib, S., Wang, W., Liu, F., (2020). Capability of a solar energy-driven crop model for simulating water consumption and yield of maize and its comparison with a water-driven crop model. *Agric. For. Meteorol.*, 287: 107955. <https://doi.org/10.1016/j.agrformet.2020.107955>
- Ren, H., Han, K., Liu, Y., Zhou, Y., Zhang, L., He, Q., Li, Z., Zhang, J., Liu, P., Wang, H., Zhang, J., Zhao, B., (2021). Improving smallholder farmers' maize yields and economic benefits under sustainable crop intensification in the North China Plain. *Sci. Total Environ.*, 763: 143035. <https://doi.org/10.1016/j.scitotenv.2020.143035>.
- Rizwan Shahid, M., Wakeel, A., Ishaque, W., Ali, S., Soomro, K B., Awais, M., (2020). Optimizing different adaptive strategies by using crop growth modeling under IPCC climate change scenarios for sustainable wheat production. *Environ. Dev. Sustain.*, 23: 11310–11334 <https://doi.org/10.1007/s10668-020-01112-2>.
- Rugira, P., Ma, J., Zheng, L., Wu, C., Liu, E., (2021). Application of DSSAT CERES-Maize to identify the optimum irrigation management and sowing dates on improving maize yield in north China. *Agronomy.*, 11: 674. <https://doi.org/10.3390/agronomy11040674>.
- Saddique, Q., Cai, H., Ishaque, W., Chen, H., Chau, H.W., Chattha, M.U., Hassan, M.U., Khan, M.I., He, J., (2019). Optimizing the sowing date and irrigation strategy to improve maize yield by using CERES (Crop Estimation through Resource and Environment Synthesis)-Maize Model. *Agronomy.*, 9: 109. <https://doi.org/10.3390/agronomy9020109>.
- Saddique, Q., Cai, H., Xu, J., Ajaz, A., He, J., Yu, Q., Wang, Y., Chen, H., Khan, M.I., Liu, D.L., He, L., (2020). Analyzing adaptation strategies for maize production under future climate change in Guanzhong plain, China. *Mitig. Adapt. Strateg. Glob. Change.*, 25: 1523–1543. <https://doi.org/10.1007/s11027-020-09935-0>
- Sandeep, V.M., Rao, V.U.M., Rao, B.B., Bharathi, G., Pramod, V.P., Chowdary, P.S., Patel, N.R., Mukesh, P., Kumar, P.V., (2018). Impact of climate change on sorghum productivity in India and its adaptation strategies. *J. Agrometeorol.*, 20(2): 89-96. <https://doi.org/10.54386/jam.v20i2.517>
- Sandhu, S.S., Kaur, P., Tripathi, P., Patel, S.R., Prasad, R., Solanki, N.S., Kumar, R., Singh, C.B., Dubey, A.B., Rao, V.U.M., (2016). Effect of intra-seasonal temperature on wheat at different locations of India: A study using CERES-Wheat model. *J. Agrometeorol.*, 18(2): 222-233. <https://doi.org/10.54386/jam.v18i2.939>
- Shamim, M., Shekh, A.M., Pandey, V., Patel, H.R., Lunagaria, M.M., (2012). Simulating the phenology, growth and yield of aromatic rice cultivars using CERES Rice model under different environments. *J. Agrometeorol.*, 14(1): 31-34. <https://doi.org/10.54386/jam.v14i1.1376>
- Sharma, K., Bishnoi, O.P., Niwas, R., Khichar, M.L. (2010). Impact assessment of climatic variability on wheat and pearl millet productivity using CERES models in arid zone of Haryana. *J. Agrometeorol.*, 12(1): 123-127. <https://doi.org/10.54386/jam.v12i1.1290>
- Shelia, V., Hansen, J., Sharda, V., Porter, C., Aggarwal, P., Wilkerson, C.J., Hoogenboom, G., (2019). A multi-scale and multi-model gridded framework for forecasting crop production, risk analysis, and climate change impact studies. *Environ. Model. Software.*, 115: 144–154. <https://doi.org/10.1016/j.envsoft.2019.02.006>
- Shen, H., Chen, Y., Wang, Y., Xing, X., Ma, X., (2020). Evaluation of the Potential Effects of Drought on Summer Maize Yield in the Western Guanzhong Plain, China. *Agronomy.*, 10: 1095. <https://doi.org/10.3390/agronomy10081095>
- Shen, H., Gao, Y., Guo, F., Wang, Y., Ma, X. (2021). A modified

- DSSAT-CERES model for simulating summer maize growth under film mulching. *Agronomy*, 113: 4819–4831. <https://doi.org/10.1002/agj2.20852>
- Shi, Z., Cui, T., Sun, X., Wang, H., Tao, P. (2021). Irrigation scheme selection based on water footprint analysis of winter wheat production in piedmont plains of Hebei province under future climate scenarios. *Water*, 13: 2640. <https://doi.org/10.3390/w13192640>.
- Shrivastava, S., Kar, S.S., Sharma, A.R., (2018). The DSSAT model simulations of soil moisture and evapotranspiration over central India and comparison with remotely-sensed data. *Modeling Earth Syst. Environ.*, 4: 27-37. <https://doi.org/10.1007/s40808-018-0414-4>.
- Si, Z., Zain, M., Li, S., Liu, J., Liang, Y., Gao, Y., Duan, A., (2021), Optimizing nitrogen application for drip-irrigated winter wheat using the DSSAT-CERES-Wheat model. *Agric. Water Manag.*, 244: 106592. <https://doi.org/10.1016/j.agwat.2020.106592>.
- Singh, J., Mishra, S.K., Kingra, P.K., Singh, K., Biswas, B., Singh, V., (2018). Evaluation of DSSAT-CANEGRO model for phenology and yield attributes of sugarcane grown in different agro-climatic zones of Punjab, India. *J. Agrometeorol.*, 20(4): 280-285. <https://doi.org/10.54386/jam.v20i4.566>
- Singh, P., G. Alagarswamy, G. Hoogenboom, P. Pathak, S.P. Wani, and S.M. Virmani. (1999a). Soybean-chickpea rotation on Vertic Inceptisols: 2. Long-term simulation of water balance and crop yields. *Field Crops Res.*, 63(3):225-236.
- Singh, P., G. Alagarswamy, P. Pathak, S.P. Wani, G. Hoogenboom, and S.M. Virmani. (1999b). Soybean-chickpea rotation on Vertic Inceptisols: 1. Effect of soil depth and landform on light interception, water balance and crop yields. *Field Crops Res.*, 63(3):211-224.
- Singh, P., Boote, K.J., Kadiyala, M.D.M., Nedumaran, S., Gupta, S.K., Srinivas, K., Bantilan, M.C.S., (2017). An assessment of yield gains under climate change due to genetic modification of pearl millet. *Sci. Total Environ.*, 601-602: 1226–1237. <http://dx.doi.org/10.1016/j.scitotenv.2017.06.002>
- Singh, P., Nedumaran, S., Traor, P.C.S., Boote, K.J., Rattunde, H.F.W., Prasad, P.V.V., Singh, N.P., Srinivas, K., Bantilan, M.C.S., (2014). Quantifying potential benefits of drought and heat tolerance in rainy season sorghum for adapting to climate change. *Agric. For. Meteorol.*, 185: 37-48. <https://doi.org/10.1016/j.agrformet.2013.10.012>
- Singh, P.K., Singh, K.K., Singh, P., Balasubramanian, R., Baxla, A.K., Kumar, B., Gupta, A., Rathore, L.S., Kalra, N., (2017). Forecasting of wheat yield in various agro-climatic regions of Bihar by using CERES-Wheat model. *J. Agrometeorol.*, 19(4): 346-349. <https://doi.org/10.54386/jam.v19i4.604>
- Song, L. and Jin, J., (2020). Improving CERES-Maize for simulating maize growth and yield under water stress conditions. *Eur. J. Agron.*, 117: 126072. <https://doi.org/10.1016/j.eja.2020.126072>
- Srivastava, R K., Panda, R K., Chakraborty, A., (2021). Assessment of climate change impact on maize yield and yield attributes under different climate change scenarios in eastern India. *Ecol. Indicator.*, 120: 106881. <https://doi.org/10.1016/j.ecolind.2020.106881>.
- Subba Rao, V.M., Shanker, A.K., Rao, V.U.M., Narsimha Rao, V., Singh, A.K., Kumari, P., Singh, C. B., Verma, P.K., Kumar, P.V., Rao, B.B., Dhakar, R.K., Sarath Chandran, M. A., Naidu, C.V., Chaudhary, J.L., Rao, C.S., Venkateshwarlu, B., (2016). Predicting Irrigated and Rainfed Rice Yield Under Projected Climate Change Scenarios in the Eastern Region of India. *Environ Model Assess.* 21: 17–30. <http://dx.doi.org/10.1007/s10666-015-9462-6>
- Sudharsan, D., Adinarayana, J., Reddy, D.R., Sreenivas, G., Ninomiya, S., Hirafuji, M., Kiura, T., Tanaka, K., Desai, U. B., Merchant, S.N., (2013). Evaluation of weather-based rice yield models in India. *Int. J. Biometeorol.*, 57: 107–123. <http://dx.doi.org/10.1007/s00484-012-0538-6>
- Tao, F., Zhang, Z., (2011). Impacts of climate change as a function of global mean temperature: maize productivity and water use in China. *Climatic Change.*, 105: 409–432., <https://doi.org/10.1007/s10584-010-9883-9>
- Tian, Z., Fan, Y., Wang, K., Zhong, H., Sun, L., Fan, D.N., Tubiello, F., Liu, J., (2021). Searching for “Win-Win” solutions for food-water-GHG emissions tradeoffs across irrigation regimes of paddy rice in China. *Resour. Conserv. Recycl.*, 166: 105360. <https://doi.org/10.1016/j.resconrec.2020.105360>.
- Timsina, J. and Humphreys, E., (2006). Performance of CERES-Rice and CERES-Wheat models in rice–wheat system. *Agric. Syst.*, 90: 5–31.
- Tsuji, G. Y., G. Hoogenboom, and P. K. Thornton [Editors]. (1998). Understanding options for agricultural production. systems approaches for sustainable agricultural development. kluwer academic publishers, Dordrecht, The Netherlands. ISBN 07923-4833-8. 400 pp.
- Uehara, G., and Tsuji, G.Y., (1998). Overview of IBSNAT. In: Tsuji G.Y., Hoogenboom G., Thornton P.K. (eds) Understanding options for agricultural production. systems approaches for sustainable agricultural development, vol 7. Springer, Dordrecht, the Netherlands.
- Vasco Silva J. and K. Giller. (2020). Grand challenges for the 21st century: what crop models can and can't (yet) do. *J. Agric. Sci.*, 158: 794–805.

- Vashisht, B.B., Jalota, S.K., (2018). Impact of temperature variability and management interventions on productivity of wheat. *J. Agrometeorol.*, 20(1): 11-15. <https://doi.org/10.54386/jam.v20i1.495>
- Vashisht, B.B., Mulla, D.J., Jalota, S.K., Kaur, S., Kaur, H., Singh, S., (2013). Productivity of rainfed wheat as affected by climate change scenario in northeastern Punjab, India. *Reg. Environ. Change.*, 13: 989–998. <https://doi.org/10.1007/s10113-013-0412-z>
- Vysakh, A., Ajithkumar, B., Rao, A.V.M.S., (2016). Evaluation of CERES-Rice model for the selected rice varieties of Kerala. *J. Agrometeorol.*, 18(1): 120-123. <https://doi.org/10.54386/jam.v18i1.913>
- Wajid, A., Hussain, K., Ilyas, A., Habib-ur-Rahman, M., Shakil, Q., Hoogenboom, G., (2021). Crop Models: important tools in Decision Support System to manage wheat production under vulnerable environments. *Agriculture.*, 11: 1166. <https://doi.org/10.3390/agriculture11111166>.
- Walikar, L.D., Bhan, M., Giri, A.K., Dubey, A.K., Agrawal, K.K., (2018). Impact of projected climate on yield of soybean using CROPGRO-Soybean model in Madhya Pradesh. *J. Agrometeorol.*, 20(3): 211-215. <https://doi.org/10.54386/jam.v20i3.546>
- Wang, C., Feng, L., Wu, L., Cheng, C., Li, Y., Yan J., Gao, J., Chen, F., (2020). Assessment of genotypes and management strategies to improve resilience of winter wheat production. *Sustainability.*, 12: 1474. <https://doi.org/10.3390/su12041474>.
- Wang, N., Wang, J., Wang, E., Yuc, Q., Shi, Y., He, D., (2015). Increased uncertainty in simulated maize phenology with more frequent supra-optimal temperature under climate warming. *Eur. J. Agron.*, 71: 19–33. <http://dx.doi.org/10.1016/j.eja.2015.08.005>
- Wang, T., Ding, N., Li, L., Lyu, X., Chai, Q., Dou, X., (2020). Simulating the impact of long-term fertilization on basic soil productivity in a rainfed winter wheat system. *Agronomy.*, 10: 1544. <https://doi.org/10.3390/agronomy10101544>.
- Wang, X., Miao, Y., Batchelor, W.D., Dong, R., Kusnierek, K., (2021). Evaluating model-based strategies for in-season nitrogen management of maize using weather data fusion. *Agric. For. Meteorol.*, 308-309: 108564. <https://doi.org/10.1016/j.agrformet.2021.108564>.
- Wang, X., Wang, H., Sib, Z., Gao, Y., Duan, A., (2020). Modelling responses of cotton growth and yield to pre-planting soil moisture with the CROPGRO-Cotton model for a mulched drip irrigation system in the Tarim Basin. *Agric. Water Manag.*, 241: 106378. <https://doi.org/10.1016/j.agwat.2020.106378>.
- Wang, X.C., Li, J., Tahir, M.N., Fang, X.Y., (2012). Validation of the EPIC model and its utilization to research the sustainable recovery of soil desiccation after alfalfa (*Medicago sativa* L.) by grain crop rotation system in the semi-humid region of the Loess Plateau. *Agric. Ecosyst. Environ.*, 161: 152–160.
- Wei, Y., Jin, J., Cui, Y., Ning, S., Fei, C.Z., Wu, C.; Zhou, Y., Zhang, L., Liu, L., Tong, F., (2021). Quantitative assessment of soybean drought risk in Bengbu city based on disaster loss risk curve and DSSAT. *Int. J. Disaster Risk Reduct.*, 56: 102126. <https://doi.org/10.1016/j.ijdr.2021.102126>.
- Wei, Y., Jin, J., Jiang, S., Ning, S., Cui, Y., Zhou, Y., (2019). Simulated assessment of summer maize drought loss sensitivity in Huaibei plain, China. *Agronomy.*, 9: 78. <https://doi.org/10.3390/agronomy9020078>
- Wu, L., Feng, L., Zhang, Y., Gao, J., Wang, J., (2017). Comparison of five wheat models simulating phenology under different sowing dates and varieties. *Agron. J.*, 109:1280–1293. <http://dx.doi.org/10.2134/agronj2016.10.0619>
- Xiea, Y., Wang, P., Bai, X., Khan, J., Zhang, S., Li, L., Wang, L., (2017). Assimilation of the leaf area index and vegetation temperature condition index for winter wheat yield estimation using Landsat imagery and the CERES-Wheat model. *Agric. For. Meteorol.*, 246: 194–206. <http://dx.doi.org/10.1016/j.agrformet.2017.06.015>
- Yadav, M K., Patel, C., Singh, R.S., Singh, K.K., Balasubramanian, R., Mall, R.K., Singh, M.K., Singh, S.M., Yadav, S.K., (2021). Assessment of climate change impact on different pigeonpea maturity groups in north Indian condition. *J. Agrometeorol.*, 23(1): 82-92. <https://doi.org/10.54386/jam.v23i1.92>
- Yadav, M.K., Singh, R.S., Singh, K.K., Mall, R.K., Patel, C., Yadav, S.K., Singh, M.K., (2016). Assessment of climate change impact on pulse, oilseed and vegetable crops at Varanasi, India. *J. Agrometeorol.*, 18(1): 13-21. <https://doi.org/10.54386/jam.v18i1.881>
- Yan, X., Jiang, D., Fu, I.D.J., Hao, M., (2018). Assessment of sweet sorghum-based ethanol potential in China within the water–energy–food nexus framework. *Sustainability.*, 10: 1046. <https://doi.org/10.3390/su10041046>
- Yang, J.M., Yang, J.Y., Dou, S., Yang, X.M., Hoogenboom, G., (2013). Simulating the effect of long-term fertilization on maize yield and soil C/N dynamics in northeastern China using DSSAT and CENTURY-based soil model. *Nutr. Cycl. Agroecosyst.*, 95: 287–303. <http://dx.doi.org/10.1007/s10705-013-9563-z>
- Yao, N., Lib, Y., Xua, F., Liub, J., Chenb, S., Mab, H., Chauc, H.W., Liud, D.L., Lia, M., Fenga, H., Yua, Q., He, J., (2020). Permanent wilting point plays an important role in simulating winter wheat growth under water deficit conditions. *Agric. Water Manag.*, 229: 105954. <https://doi.org/10.1016/j.agwat.2019.105954>

- Ye, L., Xiong, W., Li, Z., Yang, P., Wu, W., Yang, G., Fu, Y., Zou, J., Chen, Z., Ranst, E.V., Tang, H., (2013). Climate change impact on China food security in 2050. *Agron. Sustain. Dev.*, 33: 363–374. <http://dx.doi.org/10.1007/s13593-012-0102-0>
- Ye, Z., Qiu, X., Chen, J., Cammarano, D., Ge, Z., Ruane, A.C., Liu, L., Tang, L., Cao, W., Liu, B., Zhu, Y., (2020). Impacts of 1.5°C and 2.0°C global warming above pre-industrial on potential winter wheat production of China. *Eur J Agron.*, 120: 126149 <https://doi.org/10.1016/j.eja.2020.126149>.
- Zeng, R., Yao, F., Zhang, S., Yang, S., Bai, Y., Zhang, J., Wang, J., Wang, X., (2021). Assessing the effects of precipitation and irrigation on winter wheat yield and water productivity in North China Plain. *Agric. Water Manag.*, 256: 107063. <https://doi.org/10.1016/j.agwat.2021.107063>.
- Zhang, F., Chen, Y., Zhang, J., Guo, E., Wang, R., Li, D., (2019). Dynamic drought risk assessment for maize based on crop simulation model and multi-source drought indices. *J. Clean. Prod.*, 233: 100-114. <https://doi.org/10.1016/j.jclepro.2019.06.051>
- Zhang, H., Zhou, G., Liu, D.L., Wang, B., Xiao, D., He, L., (2019). Climate-associated rice yield change in the Northeast China Plain: A simulation analysis based on CMIP5 multi-model ensemble projection. *Sci. Total Environ.*, 666: 126–138. <https://doi.org/10.1016/j.scitotenv.2019.01.415>
- Zhang, J., Miao, Y., Batchelor, W.D., Lu, J., Wang, H., Kang, S., (2018). Improving high-latitude rice nitrogen management with the CERES-Rice crop model. *Agronomy*, 8: 263. <https://doi.org/10.3390/agronomy8110263>
- Zhang, L., Zhang, Z., Luo, Y., Cao, J., Li, Z., (2020). Optimizing genotype-environment-management interactions for maize farmers to adapt to climate change in different agro-ecological zones across China. *Sci. Total Environ.*, 728: 138614. <https://doi.org/10.1016/j.scitotenv.2020.138614>
- Zhang, S., Tao, F., (2013). Modeling the response of rice phenology to climate change and variability in different climatic zones: Comparisons of five models. *Europ. J. Agron.*, 45: 165–176. <http://dx.doi.org/10.1016/j.eja.2012.10.005>
- Zhang, Y., Jiade Guo, Y. Z., Li, J., Wang, R., (2022). Simulation of soil water balance and crop productivity of long-term continuous maize cropping under high planting density in rainfed agro-ecosystems. *Agric. For. Meteorol.*, 312: 108740. <https://doi.org/10.1016/j.agrformet.2021.108740>
- Zhang, D., Wang, H., Li, D., Li, H., Ju, H., Li, R., Batchelor, W.D., Li, Y., (2019). DSSAT-CERES-Wheat model to optimize plant density and nitrogen best management practices. *Nutr. Cycl. Agroecosyst.*, 114: 19–32. <https://doi.org/10.1007/s10705-019-09984-1>
- Zheng, Z., Cai, H., Yu, L., Hoogenboom, G., (2017). Application of the CSM–CERES–Wheat Model for Yield Prediction and Planting Date Evaluation at Guanzhong Plain in Northwest China. *Agron. J.*, 109: 204–217. <http://dx.doi.org/10.2134/agronj2016.05.0289>
- Zhong, H., Suna, L., Fischer, G., Tiand, Z., Velthuizenb, H.V., Liang, Z., (2017). Mission Impossible? Maintaining regional grain production level and recovering local groundwater table by cropping system adaptation across the North China Plain. *Agric. Water Manag.*, 193: 1–12. <https://doi.org/10.1016/j.agwat.2017.07.014>
- Zhou, L., Liao, S., Wang, Z., Wang, P., Yan, H., Zhang, Y., Zhang, L., Zhao, X., Lin, S., Zhou, S., (2019). Simulation of soil water content for irrigation management based on on-field and CERES-wheat simulated data in winter wheat in the north China Plain. *Irrig. Drain.*, 68: 753–764. <https://doi.org/10.1002/ird.2355>
- Zhou, Z., Jin, J. and Lingmeng Wang. (2022). Modeling the effects of elevation and precipitation on Rice (*Oryza sativa* L.) production considering multiple planting methods and cultivars in Central China. *Sci. Total Environ.*, 813: 152679. <http://dx.doi.org/10.1016/j.scitotenv.2021.152679>.

